

Conductive Cart Covers: CCC - L x W x H



Heavy static dissipative/conductive supported vinyl cart covers are designed to shield static sensitive devices, components and subassemblies from static damage, dust and dirt during transportation and storage. The cover has a green exterior with a black inside.

Covers are washable, durable, reusable, form-fitted to the product and have double-folded binding for a strong finished edge. Also available with Velcro® closures, vents, pockets, snaps, grounding snaps and cords.

- ✱ Covers are made to order
- ✱ Color: light forest green front, black back
- ✱ Surface resistance on green side: $10^9 - 10^{10}$ ohms
- ✱ Ideal for Mobile Storage Unit Carts, CBX Universal PCB Carts, PCB Pallet Carts

Item Number
CCC - L x W x H

TYPICAL PROPERTIES: ELECTRICAL

Resistance-Surface, Tip-top (EOS/ESD \$4)
@10 volts, 12% RH (RTT)

green side $10^9 - 10^{10}$ ohms
black side $10^3 - 10^4$ ohms

TYPICAL PROPERTIES: PHYSICAL

Resistance to fungi (ASTM G-21-90)
Weight
Tensile (Fed. Test Std. 191b, Method 5102)
Flame Resistance - Vertical Burn Test (Fed Test Std 191b, Method 5903)
After Flame
Char Length
Flame Resistance - Horizontal Burn Test (Motor Vehicle Safety Standard 302)
Hydrostatic Burst Test - Mullen (Fed. Test Std. 191, Method 5512)

No Growth
13 oz. / sq. yd.
140 - 150 lbs.
2.0 seconds
0.3 inches
Pass
190 psi

Cart Covers should be cleaned with soap and water, or isopropyl alcohol, or an approved ESD vinyl cleaner. Common kitchen household cleaners and some commercially available cleaners should be avoided if they contain silicon. The silicon can build-up on the surface and cause electrical resistance to increase